






ITEM NO.	DESCRIPTION	QTY.
1	Inlet Filter/Silencer	1
2	UBP Blower	1
3	NEMA Motor	1
4	V-Belt Drive Assembly @ 1.4 Service Factor	1
5	3C4 Belt Guard w/ Easy Access Panel	1
6	3C4 Blower Base w/ Auto-Tension Motor Base	1
7	Vibration-Damping Isolation Mount	8
8	3C4 Sub-Base	1
9	Discharge Expansion Joint	1
10	Compact Discharge Silencer	1
11	8" Flanged Pipe Spool	1
12	Spring Loaded PRV	2
13	Wafer Style Discharge Check Valve	1
14	3C4 Acoustical Enclosure	1
15	Discharge Thermometer	1
16	Discharge Pressure Gauge	1
17	Inlet Filter Vacuum Gauge	1

NOTE:

- ITEM 13 SHIPS LOOSE.
- ITEMS 14-17 ARE OPTIONAL AND SHOWN ON NEXT SHEET.
- ITEM 12 QUANTITY DEPENDENT ON AIRFLOW. SEE PROJECT-SPECIFIC SUBMITTAL.
- SEE PROJECT-SPECIFIC SUBMITTAL FOR COMPONENT MODEL NUMBERS, UNIT WEIGHT, AND OPTIONAL COMPONENTS NOT SHOWN HERE.

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	A	CREATED DRAWING	4/14/2016	GRB








- NOTE:
- INSTALL AND OPERATE ACCORDING TO O&M MANUAL.
 - DIMENSIONS SUBJECT TO CHANGE WITHOUT NOTICE.

UNLESS OTHERWISE SPECIFIED:				UNIVERSAL BLOWER PAC, INC. 440 PARK 32 WEST DRIVE NOBLESVILLE, IN 46060-9252 PHONE: 317-773-7256 www.universalblowerpac.com	
DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL TO USER CONNECTIONS: ±1" FRACTIONAL TO MOUNTING LOCATIONS: 1/4" OTHER FRACTIONAL: ±1 ANGULAR: MACH±0.5 BEND ±2 TWO PLACE DECIMAL ±0.05 THREE PLACE DECIMAL ±0.005		DRAWN: _____ NAME: _____ DATE: _____ MATERIAL: _____		TITLE: 3C-Pac Size 4	
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF UNIVERSAL BLOWER PAC, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF UNIVERSAL BLOWER PAC, INC. IS PROHIBITED.		STOCK SIZE: _____ FINISH: _____		SIZE: C DWG. NO. 3C4	
DO NOT SCALE DRAWING		SCALE: 1:18		SHEET 1 OF 2	

ENCLOSURE NOTES:

1. MATERIALS OF CONSTRUCTION: GALVANNEALED STEEL AND ALUMINUM
2. FINISH: BLUE & GRAY UV-RESISTANT POWDER COAT
3. LINED WITH 2" ACOUSTICAL FOAM
4. FRONT AND REAR REMOVABLE PANELS
5. LOCKING COMPRESSION LATCHES
6. ELECTRICAL EXHAUST FAN (~2A @ 1/60/120V)
7. INTERNAL JUNCTION BOX PROVIDED FOR EXHAUST FAN AND OPTIONAL SWITCHES (INTERNAL WIRING TO JUNCTION BOX AND MOTOR CONDUIT BOX BY OTHERS)
8. FORK SLOT COVERS PROVIDED FOR USE AFTER INSTALLATION
9. SEE PROJECT-SPECIFIC SUBMITTAL FOR OPTIONAL COMPONENTS

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
-	-	See Sheet1	-	-



- NOTE:
1. INSTALL AND OPERATE ACCORDING TO O&M MANUAL.
 2. DIMENSIONS SUBJECT TO CHANGE WITHOUT NOTICE.

UNLESS OTHERWISE SPECIFIED:				UNIVERSAL BLOWER PAC, INC.	
DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL TO USER CONNECTIONS: ±1" OTHER FRACTIONAL: ±1/4" ANGULAR: MACH±0.5 BEND ±2 TWO PLACE DECIMAL ±0.05 THREE PLACE DECIMAL ±0.005				440 PARK 32 WEST DRIVE NOBLESVILLE, IN 46060-9252 PHONE: 317-773-7256 www.universalblowerpac.com	
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF UNIVERSAL BLOWER PAC, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF UNIVERSAL BLOWER PAC, INC. IS PROHIBITED.		DRAWN: _____ NAME: _____ DATE: _____ MATERIAL: _____ STOCK SIZE: _____ FINISH: _____		TITLE: 3C-Pac Size 4 SIZE: C DWG. NO. 3C4 SCALE: 1:20 WEIGHT: _____ SHEET 2 OF 2	